



NOTES:
MEETS THE 2012 ONTARIO BUILDING CODE, SECTION 9.8 GUARDS UNDER THE FOLLOWING CONDITIONS:
- IT IS NOT USED FOR STAIRS OR LANDINGS 10M ABOVE THE ADJACENT GROUND LEVEL RE 9.8.8.3(6)
- IT IS NOT USED AS A VEHICLE GUARDRAIL RE 9.8.4(2)
- FOR OCCUPANCIES WITHIN DWELLING UNITS AND EXTERIOR GUARDS SERVING NOT MORE THAN 2 DWELLING UNITS RE 9.8.8.2
STRUCTURAL ADEQUACY OF JOIST FRAMING BY OTHERS
REFER TO HOME-RAIL LTD DRAWING H2-1 FOR PRODUCT DETAILS



**MISC
METAL
ENGINEERING**
O/A 11413716 CANADA INC.
WIL.SAUNDERS@GMAIL.COM
613-204-4642

DIMENSIONS ARE IN INCHES UNO: TOLERANCES: LINEAR: +/- .06" ANGULAR: +/-1 DEG			FINISH:			DEBUR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING		
REV	DATE				NAME		TITLE: 42" PICKET RAIL WOOD DECK INSTL DETAILS		
1	2020/01/28			DRAWN	WS	2020/01/17			
				MATERIAL:			DWG NO. 07-06		A2
				WEIGHT:			SCALE:		
							SHEET 1 OF 2		

