

PLAN VIEW



ISO VIEW



SECTION A-A
SCALE 1 : 8



SECTION B-B
SCALE 1 : 8

NOTES:
MEETS THE 2012 ONTARIO BUILDING CODE, SECTION 9.8 GUARDS UNDER THE FOLLOWING CONDITIONS:
- IT IS NOT USED FOR STAIRS OR LANDINGS 10M ABOVE THE ADJACENT GROUND LEVEL RE 9.8.8.3(6)
- IT IS NOT USED AS A VEHICLE GUARDRAIL RE 9.8.4(2)
- FOR OCCUPANCIES WITHIN DWELLING UNITS AND EXTERIOR GUARDS SERVING NOT MORE THAN 2 DWELLING UNITS RE 9.8.8.2
STRUCTURAL ADEQUACY OF JOIST FRAMING BY OTHERS

MISC METAL ENGINEERING
O/A 11413716 CANADA INC.
WIL.SAUNDERS@GMAIL.COM
613-204-4642

DIMENSIONS ARE IN INCHES UNO: TOLERANCES: LINEAR: +/- .06" ANGULAR: +/-1 DEG	FINISH:	DEBUR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING

REV	DATE				NAME	
				DRAWN	WS	2020/01/17
				MATERIAL:		
				WEIGHT:		

TITLE: 42" PICKET RAIL INSTL DETAILS

DWG NO. 07-06 A2

SCALE: SHEET 1 OF 1